Joining instruction*



Product identification	F 6/1 E U03N / U0					Article numbe	r 20200	20200022	
Product group		food c	ood conveyor belt						
Endless joining									
Recommended joining		single	finger joining						
Joining addition		105	mm		,13 inch				
Length of fingers		70	mm		2,76 inch				
Width of fingers		10	mm	C),39 inch				
loining material									
Joining material conveying sid	e		e paper mat/s	silicone	pad				
Joining material running side		silicon	e pad						
Joining material inside		no							
Additional material		no							
		heatin	g plate top						
			e paper mat/s	silicone	pad				
			yor belt (conv						
		COINE		eying	site up)				
	-		yor belt (conv	eying s	site up)				
	_	silicon							
		heatin	g plate botton	n					
Joining parameters									
Heating temperature top		150	°C	302	°F				
Heating temperature bottom		150	°C	302	°F				
Heating time		3 minu	ites						
Pressure		1 bar							
Note		use m	etal sheet (thi	ickness	s plus 0.1	mm to belt thicknes	s)		
Alternative joining methods									
Finger joining alternative		no							
Step joining		no							
Wedge joining		no							
Mechanical joining		yes G	001						
Notes on installation									

Technical status: 02/19

*mentioned parameters are based on experience in production of endless seamed belt with our tools. By using other tools the parameters can differ. Specifications subject to change without notice.

